


Township No. V North of the Base-line, Range No. 174

Description of the Soil on the interior Sectional Lines.

Between Sections	Quality of Soil	Between Sections	Quality of Soil	Between Sections	Quality of Soil
34.35	Land level, Rich. Timber, Birch, Elm & Walnut	32.33	Thin mole over very high hills, Timber Oak & Hickory	35.36	Over good rich land, Timber, Birch, Sugar & Walnut
26.35	ditto	33.28	ditto	26.35	ditto
26.27	Land flat, Timber, Birch & Elm &c	28.29	ditto	25.26	ditto
23.26	ditto	28.31	High line, over high steep hills	23.25	ditto
23.22	ditto	20.31	Land good for farming	23.24	Land rolling, Timber the same
14.23	ditto	16.21	Land very hilly, Timber, Oak	13.24	Land flat, Timber, Elm & Hickory
14.15	Land hilly, Timber, Oak & Hickory	16.17	Good farming land, Timber, Oak, Hickory & Birch	13.14	ditto
14.11	ditto	16.9	Land rolling, Timber, Oak & Birch	11.12	Over rolling, Oak & Hickory, Timber land
11.14	ditto	8.9	Land good for farming	1.12	Land flat, Timber, Elm, Birch &c
2.11	ditto	9.11	ditto	1.2	Land hilly, thin soil
2.3	Land very hilly	4.5	Over good farming land		
33.34	ditto	32.31	Land hilly, Timber, Oak & Hickory		
34.27	Land rolling, Timber, Birch &c	32.29	Land on the last & mile very hilly, thin soil, Timber, Oak		
27.28	Land very hilly & steep, thin soil	29.30	ditto		
27.22	Land hilly, not so high	20.29	ditto		
31.22	Land the same, very, thin soil, Timber, Oak	30.31	Land for farming, Timber, Birch, Oak & Hickory		
22.15	ditto	19.30	ditto		
15.16	ditto	20.20	Land the same, Rich & level		
15.10	Land very hilly & high hills	20.19	ditto		
9.10	Hills, not so high, but very broken	18.19	ditto		
10.3	ditto	17.18	ditto		
3.4	This mile over Oak & Hickory, Timber land	17.8	ditto		

Indiana
H.P.



Township No. V North of the Base-line, Range No. III East of the 2nd Meridian, Surveyed by A. Henric 1816.

Description of the Soil on the interior Sectional lines.

Total 22,645 64

Section	Quality of	Section	Quality of	Section	Quality of
34.33	Land level. Rich. Timber Beech. Elm & Walnut	32.33	This mile over very high hills. Timber Oak & Hickory some chestnut	1.8	Good farming land. Timber Poplar. Beech, Sugar &c
26.35	ditto	33.28	ditto	5.8	ditto
26.27	Land flat. Timber Beech & Elm &c	28.24	ditto	6.7	
23.26	ditto	28.21	This line over high steep hills	5.6	ditto
23.22	ditto	20.21	Land good for farming	35.26	Over level rich land. Timber Beech. Sugar & Walnut
14.23	ditto	16.21	Land very hilly Timber Oak	26.35	ditto
14.15	Land hilly. Timber Oak & Hickory	16.17	Good farming land. Timber Oak. Hickory & Beech	25.26	ditto
14.11	ditto	16.9	Land rolling Timber Oak & Beech	24.25	ditto
11.14	ditto	8.9	Land good for farming	23.24	Land rolling Timber the same
2.11	ditto	9.4	ditto	13.24	Land flat. Timber Elm & Hickory
2.3	Land very hilly	4.5	Over good farming land	13.14	ditto
33.34	ditto	32.31	Land hilly. Timber Oak & Hickory	13.12	
34.27	Land rolling. Timber Beech &c	32.29	Land on the last & mile very hilly. thin soil. Timber Oak	11.12	Over rolling Oak & Hickory timbered land
27.28	Land very hilly & steep. thin soil	29.30	ditto	1.12	Land flat. Timber Elm. Beech &c
27.22	Land hilly. Not so high	20.20	ditto	1.2	Land hilly thin soil
21.22	Land the same very thin soil. Timber Oak	30.31	Land good for farming. Timber Beech. Oak & Hickory		
22.15	ditto	16.30			
15.16	ditto	20.30			
13.10	Land very hilly & high hills	20.11	Land the same. Rich & level		
9.10	Hills not so high. but very broken	18.19			
10.3	ditto	17.18	ditto		
3.4	This mile over Oak & Hickory Timber land	17.8	ditto		

Indiana
H.P.

Township N^o 5 North, Range N^o 3 East of 2nd Mer.

Interior Sectional corners described

Continued


Posts	Bearing trees	Inches dia.	Courses they bear	Sinks dist.	Quality of the Soil	Section Corners	Bearing trees	Inches dia.	Courses they bear	Sinks dist.	From T to	Bearing trees	Inches dia.	Courses they bear	Sinks dist.
A	Beech	28	N 55 E	23		25. 26. 35. 36	Beech	6	S 5 W	37	L to V at 1.	Beech	20	N 35 W	0
a	do	15	N 83 W	28		do	24	S 78 W	15		do	do	24	N 65 W	20
B	do	6	S 82 E	9		25. 26. 35. 36	Maple	15	S 2 E	27	2.	B. Oak	6	N 56 W	4
b	do	8	S 23 W	12		23. 24. 13. 14	B. Oak	7	S 84 W	6	3.	W. Oak	12	N 62 W	15
C	Beech	10	N 65 E	32		do	10	S 70 E	27		do	20	N 40 E	21	
c	do	15	S 43 E	12		11. 12. 13. 14	do	18	S 55 E	10	1.	do	10	N 10 W	39
D	Beech	8	S 14 W	17		1. 2. 11. 12	Richmond	12	S 22 E	30	5.	Sugar	8	N 75 E	17
d	do	12	N 70 E	10		do	10	S 52 E	28		do	12	N 27 W	20	
E	Beech	12	S 4 W	17		26. 27. 34. 35	W. Oak	20	N 50 E	30	6.	Sugar	13	N 75 E	11
e	do	20	N 74 W	28		do	10	S 53 E	13		do	30	N 33 W	23	
F	B. Oak	10	N 57 W	12		22. 23. 26. 27	W. Oak	12	N 8 E	23	H to Y at 1.	do	12	N 84 W	37
f	do	10	S 23 E	11		do	6	S 29 E	9		do	15	N 30 E	17	
G	Beech	12	S 5 W	47		22. 23. 14. 15	Doanwood	20	N 8 W	12	2.	Beech	20	N 15 W	23
g	do	12	S 9 W	28		do	8	S 28 W	12		do	20	N 50 E	23	
H	Richmond	10	N 1 E	23		10. 11. 14. 15	do	10	S 31 W	10	3.	do	10	N 75 E	16
h	Beech	7	S 43 E	9		2. 3. 10. 11	Poplar	6	S 70 W	5	4.	Maple	8	N 27 W	20
i	do	5	N 47 W	6		27. 28. 33. 34	Beech	8	S 47 W	10	5.	B. Oak	15	N 81 W	6
I	Maple	12	S 2 E	34		do	10	N 33 W	7		do	10	N 15 W	14	
I	Beech	10	N 29 W	10		21. 22. 27. 28	do	5	N 38 W	12	6.	Beech	12	N 74 W	35
i	Beech	6	S 32 E	14		do	9	N 42 E	15		do	8	N 24 W	8	
j	Maple	6	Corner	16		21. 22. 15. 16	do	10	S 13 E	17	O to F at 1.	do	20	N 35 W	5
K	Maple	10	Corner			do	10	S 58 W	22		do	22	N 69 E	25	
K	Maple	10	Corner			15. 16. 9. 10	W. Oak	10	S 12 E	53	2.	W. Oak	6	N 12 W	10
k	Maple	10	Corner			3. 4. 9. 10	Beech	10	N 16 E	29	3.	do	10	N 40 E	6
L	Maple	10	Corner			32. 33. 28. 29	do	15	N 41 W	32	4.	Beech	5	N 15 W	21
L	Maple	10	Corner			do	10	S 25			5.	do	24	N 19 E	22
L	Maple	10	Corner			25. 26. 20. 21	Beech	10	N 85 E	19		do	12	N 20 W	28
L	Maple	10	Corner			16. 17. 20. 21	do	6	N 18 W	6		do	10	N 21 E	28
L	Maple	10	Corner			do	10	S 65 E	20		do	20	N 73 E	10	
L	Maple	10	Corner			3. 9. 10. 17	Beech	12	N 41 W	11	P to E at 1.	do	8	N 10 E	7
L	Maple	10	Corner			do	12	N 28 W	22		do	12	N 7 W	15	
L	Maple	10	Corner			4. 5. 8. 9	Poplar	10	N 13 W	30	2.	Beech	15	N 13 W	20
L	Maple	10	Corner			20. 30. 31. 32	W. Oak	8	N 20 W	38	3.	do	20	N 79 E	29
L	Maple	10	Corner			do	8	N 16 W	34		do	20	N 57 W	10	
L	Maple	10	Corner			19. 20. 24. 25	Beech	6	N 39 W	7	4.	do	6	N 6 E	22
L	Maple	10	Corner			17. 18. 19. 20	Sugar	20	N 67 E	17	5.	do	5	N 80 E	5
L	Maple	10	Corner			do	28	N 51 E	19		do	10	N 45 W	8	
L	Maple	10	Corner			7. 8. 17. 18	Beech	30	N 23 E	14	6.	do	8	N 15 E	21
L	Maple	10	Corner			do	10	N 37 W	23		do	10	N 7 W	23	
L	Maple	10	Corner			5. 6. 7. 8	Sugar	12	N 31 E	13	R to D at 1.	do	6	N 80 W	8
L	Maple	10	Corner			do	10	N 10 W	18		do	12	N 37 E	7	
L	Maple	10	Corner								1.	do	15	N 87 W	18
L	Maple	10	Corner								2.	B. Oak	12	N 2 E	10
L	Maple	10	Corner								3.	do	8	N 1 E	20
L	Maple	10	Corner								4.	Beech	8	N 11 E	22
L	Maple	10	Corner								5.	Sugar	10	N 68 W	15
L	Maple	10	Corner								6.	Beech	10	N 10 W	22
L	Maple	10	Corner								do	18	N 17 W	28	
L	Maple	10	Corner								20	N 63 E	19		
L	Maple	10	Corner								Richmond	20	N 28 W	29	
L	Maple	10	Corner								6.	Beech	12	N 15 E	25
L	Maple	10	Corner								do	9	N 72 W	27	
L	Maple	10	Corner								18	N 53 E	15		
L	Maple	10	Corner								8	N 10 W	6		
L	Maple	10	Corner								13	N 37 W	17		
L	Maple	10	Corner								8	N 18 E	27		
L	Maple	10	Corner								4.	Sugar	8	N 7 E	25
L	Maple	10	Corner								6.	Beech	12	N 40 E	17
L	Maple	10	Corner								12	N 20 W	13		
L	Maple	10	Corner								6.	do	18	N 25 E	15
L	Maple	10	Corner								5.	do	5	N 12 E	9
L	Maple	10	Corner								8	N 5 E	16		
L	Maple	10	Corner								6.	N 70 W	30		
L	Maple	10	Corner								6.	N 71 W	9		
L	Maple	10	Corner								12	N 73 E	30		
L	Maple	10	Corner								9	N 19 W	9		
L	Maple	10	Corner								6.	N 5 E	20		
L	Maple	10	Corner								10	N 25 W	30		
L	Maple	10	Corner								20	N 63 E	33		
L	Maple	10	Corner								12	N 41 E	9		
L	Maple	10	Corner								10	N 40 W	6		
L	Maple	10	Corner								20	N 51 E	12		
L	Maple	10	Corner								6	N 31 E	16		

Quarter Section corners described

From T to	Bearing trees	Inches dia.	Courses they bear	Sinks dist.
M to U at 1.	Hackberry	8	N 49 W	10
2.	Richmond	12	N 16 E	14
3.	Sugar	8	N 79 E	19
4.	do	12	N 55 W	13
5.	Sugar	10	N 10 W	12
6.	Beech	6	N 41 E	4
7.	do	6	N 33 W	7
8.	do	6	N 60 W	24
9.	do	10	N 12 W	75
10.	do	10	N 47 E	17
11.	do	10	N 56 W	10
12.	do	24	N 20 W	20
13.	do	15	N 35 W	10
14.	do	24	N 64 W	13
15.	do	10	N 3 E	17
16.	do	12	N 34 E	12
17.	do	12	N 37 E	19
18.	do	5	N 41 E	10
19.	do	10	N 39 W	11
20.	do	12	N 86 E	36
21.	do	6	N 56 W	20
22.	do	20	N 63 E	16
23.	do	9	N 18 W	33
24.	do	6	N 88 W	18
25.	do	10	N 35 W	2
26.	do	12	N 22 W	6
27.	do	12	N 30 W	13
28.	do	10	N 75 W	25
29.	do	10	N 39 E	16
30.	do	24	N 74 W	21
31.	do	10	N 83 E	25
32.	do	10	N 11 E	7
33.	do	20	N 70 W	31
34.	do	10	N 34 W	23
35.	do	29	N 18 E	24

Indiana
HQ

2 PM



Quantity - 11,347.50
 In part North River - 4,411.07
 21,758.49

Townships N° IV and V North, Range N° III East. Surveyed by William Harris 1807.

Description of the Quality of the Land on the interior Section lines -

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
25. 36	Part level; part Brate hills	12. 13	Rolling, best sugar good farming land	29. 32	Hilly & poor
25. 36	Brate hills	11. 12	Bottom	29. 32	Similar
25. 26	Same	1. 12	West 1/2 mile 1st rate farming land	20. 21	Break bottom, part rich & good farming
24. 25	Same, Hickory Chest Oak &c.	32. 34	Part hilly, part bottom	19. 20	Bottom
23. 24	Part hills, part bottom	27. 30	Creek bottom, part low best sugar land	18. 19	Same
34. 35	Same	27. 28	Same	17. 18	Same
26. 35	Rolling, oak, beech, ash &c.	20. 27	Beech, sugar, poplar, hilly rich soil	16. 21	Same
26. 27	Brate hills	21. 22	Hilly oak, Chestnut Black poor land	15. 20	Same overflow
23. 26	Same hills very high & steep	32. 33	Middling level, Oak, beech, hickory	15. 22	Part hilly & part rolling good soil
13. 24	Part level; part rolling Beech, sugar	28. 33	Hilly & poor	22. 23	Part hilly & part rolling good soil
13. 14	Part rolling, part bottom 1st rate farming land	28. 29	part hilly, part bottom	14. 23	River bottom, good land, rich
		21. 23	Same	0. 14	1st rate bottom
		31. 32	Hilly & poor	21. 11	River bottom, Beech, sugar, Walnut &c.
				30. 31	Hilly & poor beech, oak & hickory

INDIANA. N & E 2 P. M.

32.60 32.00	40.00											
4.136.21	A.171.12	A.174.08	A.174.24	A.173.83	A.177.12	A.176.05	A.166.79	A.161.73	A.161.73	A.161.92	A.161.08	
					4		3		2		1	
A.128.20	A.160	A.160	A.160	A.160	A.160	A.160	A.160	A.160	A.160	A.160	A.160	
31.60	40.00	22.00	22.00	22.00				22.50				
A.125.18	A.160				9	10		11		12		
		A.640		A.640	A.640	A.640		A.640		A.640		
A.122.35	A.160											
32.65	40.00	22.00	22.00	22.00				22.00		22.00		
A.121.98	A.160		17	16		15		14		13		
								A.640		A.640		
A.119.69	A.160	A.640		A.640		A.640						
29.50	40.00	22.00	22.00	22.00		22.00		22.00				
A.117.20	A.160											
19		20		21		22		23		24		
		A.640		A.640		A.640		A.640		A.640		
A.116.28	A.160											
30		29		28		27		26		25		
				A.640		A.640		A.640				
A.116.68	A.160	A.640										
22.29	40.00	22.15	22.15	22.15		22.00		22.00		22.00		
A.123.34	A.160											
31		32		33		34		35		36		
		A.640		A.640		A.640						
A.132.71	A.160											
22.61												

Township 3 North, Range 3 East of 7th Meridian
 Cont. on the next
 P. C. King
 IND


4.5 N. R. 3 E. Ind. M. 2 P.M.

T5N R3E Indiana

Sec. 25 & 36
Town 5 N
Range 3 E



Surveyor General's Office
Cincinnati Jan. 15th 1822
Sir,
The Surveyor's Return of the Meanders of White
River, in T. 5 N & 36 R. 3 E is received; and
I inclose you herein, a subdivision thereof with
the contents therein.
The meanders are deficient. The land
of the river on the East side of the N.E. 1/4 of 25,



The foregoing subdivisions of fractional sections, are
Copied from the original plats in this Office
Surveyor General's Office
Cincinnati Oct. 19th 1823
Saml. Breckinridge
Ch.

Ms. A. R. 3 E. Ind. 28m

38

not meandered at all; and the protrusion of the meanders on the East side of the river, in Sec. 25, shows that the Surveyor must have commenced somewhere about the point where the old Indian boundary ~~cross~~ intersects the river...

You will be pleased to lay down the river as represented on the diagram, and the subdivisions on the township plat.

I am very respectfully

Sir,

Yours Obedt

Edward Tiffin

PS The original relinquishments &c which ought to have been returned to this office, may be transmitted by you to the General Land Office, distinguishing those which from the others.

Sam. G. Wathney Esq.

Registered Land Office

Leffersonville

T 5N
R 3E
Indiana

The foregoing subdivisions of fractional sections, are copied from the original plats in this office
Surveyor General's Office
Cincinnati Oct. 19th 1853
Sam. G. Wathney
Ch.

T. 5 N. R. 3 E. 2nd Mer.

The Sub division was cut out by
Mr. Mills, ~~and can~~^{is to be} found
in its proper place upon the original
plat. Jeffersonville Vol 5. p 174

Entd


The foregoing subdivisions of fractional sections, are truly copied from the original plat in this office.
Surveyor General's Office -
Cincinnati October 19th 1832

Sam. Williams
ch. clk.


Compared

Fractional Sections in Jeffersonville District


Township N. 5 N., Range N. 3 E. 2. m.




Township N. 2 N., Range N. 6 E. 2. m.




Township N. 1 N., Range N. 6 E. 2. m.





Township N. 7 N., Range N. 4 E. 2. m.






Township N. 6 N., Range N. 6 E. 2. m.




Township N. 9 N., Range N. 3 E. 2. m.




Township N. 7 N., Range N. 6 E. 2. m.




Township N. 5 N., Range N. 4 E. 2. m.




Township N. 6 N., Range N. 4 E. 2. m.



Township N. 6 N., Range N. 5 E. 2. m.



Township N. 1 N., Range N. 6 E. 2. m.



township 3 North, Range 1 East of 2nd Meridian